BIOSYMPH LIMITED

MATERIAL SAFETY DATA SHEET

Section 1.	Identification of the material and the supplier
Product:	Paver Strike Through™
Product Code:	PST - xxx
Product Use:	Paver and Concrete Stain
New Zealand Supplier:	Biosymph Limited
Address:	2287 Kakaramea Road
	RD10 Whatawhata 3290
	Hamilton
Telephone:	+64 (0)7 829 8606 or +64 (0)22 607 6400 (mob)
eMail:	admin@biosymph.co.nz
Emergency Telephone	e: 0800 76 47 66 (National Poisons Centre)
Date of MSDS Preparat	tion: 16 June 2021 version 1
Section 2.	Hazards Identification

This substance is not classified as a dangerous good according to NZS5433: 2007

Pictograms

NONE REQUIRED

HSNO Classification 6.1E	Hazard Code H333	Hazard Statement May be harmful if inhaled	
6.3B	H316	Causes mild skin irritation	
D <i>(i</i>))			
Prevention Code P102	Prevention Statement Keep out of reach of ch		
P103	•	vebsite <u>www.biosymph.co.nz</u> before use	
P210	Keep away from heat a	nd flames	
P233 P273	Keep container tightly of		
P280	Avoid release to the aq Wear protective gloves		
Response Code P303+361+353 P370+378 P304+312 P332+313 P391	Response Statement IF ON SKIN: Remove all contaminated clothing immediately. Rinse skin with water In case of fire: Use foam, CO2 or dry powder IF INHALED: Call the POISON CENTRE or a doctor If skin irritation occurs: Get medical advice Collect spillage		
Storage Code P403+233	Storage Statement Store in a well-ventilate	ed place. Keep container tightly closed.	
Disposal Code P501	Disposal Statement Crush or puncture cont at an approved waste c	ainer to prevent further use if not recycled. Dispose of lisposal site.	

Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Mixed emulsified petroleum solvents in Water	40-80	Not available
Drying oils	10-20	Not available
Cut-back bitumen	5-15	8052-42-4

Section 4.	First Aid Measures
Recommended on	site emergency facilities: Eye wash station
Routes of Exposur	e:
If in Eyes	Remove excess contamination around eyes with olive oil. Wash eyes with a gentle stream of water to dislodge solid particles. Seek medical attention.
If on Skin	Remove contaminated clothing. Physically scrape off excess and use olive oil to dissolve residues. Finally wash skin or hair with soap and water.
If Swallowed	DO NOT INDUCE VOMITING. Seek immediate medical attention.

If Inhaled	Remove patient from contaminated area to fresh air. If patient does not
	recover normal breathing and is distressed, seek medical advice.

Section 5.	Fire Fighting Measures
Hazard Type	NON-flammable liquid
Hazards from decomposition products	Carbon dioxide, nitrogen oxides, unburnt hydrocarbons
Suitable Extinguishing media	Not Applicable

Section 6.	Accide	ental Release Measures
Land Spill		
or Leaks	soil a Large Dyke recov If the	I leaks or spills may be mixed with dry zeolite absorbent (kitty litter), sand or nd swept up for domestic rubbish disposal. e spills: evacuate all unnecessary personnel. the spill with appropriate spill media (zolite, sand or soil) and shovel into very drums. spill enters any waterway, sewer or stormwater notify the Environmental onse unit at the nearest council offices.
Section 7.	Handli	ing and Storage
Approved Handlers: Not required.		
Precautions for	safe handling	g : Open containers cautiously as they may be under pressure. DO NOT store in confined spaces.
Conditions for safe storage:		Store in a cool, dry, well-ventilated area away from food, animal feedstuffs, strong acids, alkalis and oxidizers. Protect from physical damage. Regularly inspect bulk containers for leaks or cracks.

Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

		TWA			STEL
Substance	CAS #	ppm	mg/m3	ppm	mg/m3
Asphalt			5		

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply.

Engineering Controls: Always provide good ventilation to keep vapours below the lower explosion limit

Personal Protective Equipment: Always wear suitable protective gloves (nitrile) and eye protection. In confined spaces, an organic vapour respiratory cartridge mask must be used.

General: When large quantities are used, a plastic apron and rubber boots are recommended.

Section 9 Physical a	nd Chemical Properties	
Physical State:	coloured liquid	
Odour:	petroleum bitumen odour	
pH:	not applicable	
Solubility:	soluble in organic solvents; partly soluble in water	
Relative Vapour Density (air=1):	not available	
Boiling point:	initial 100°C	
Ignition Point:	not available	
Flash Point:	not applicable	
Specific Gravity:	less than 1.2	
Vapour Pressure:	2.13 kPa	
% Volatiles:	10%	
Evaporation Rate:	not available	
Section 10. Stability and Reactivity		
Chemical Stability	Stable under normal conditions. Does not polymerise	
Chemical Stability	Stable under normal conditions. Does not polymerise.	
Conditions to Avoid	Heat, direct sunlight, open flames	

Hazardous Decomposition Products fumes of nitrogen, carbon oxides and acrid unburnt hydrocarbons

Section 11	Toxicological Information
Acute Oral Toxicity	LD₅₀ Rat (oral) 2000-5000 mg / kg bw
Acute Dermal Toxicity	LD₅₀ Rat (dermal) 2000-5000 mg / kg bw
Chronic Effects	Inhalation of vapours will irritate respiratory system. Prolonged skin exposure will cause redness followed by dermatitis.

Strong oxidizers, acids, alkalis

3

Incompatibility

Section 12. Ecotoxicological Information

Environmental Precautions:	Prevent from entering waterways or contaminating groundwater
Ecotoxicity Data:	Not available
Environmental Fate:	Persistent and non-biodegradable
Environmental Exposure Limits:	Not set

Section 13. Disposal Considerations

Dispose of in approved hazardous landfills or by incineration.

Section 14	Transport Information	
------------	-----------------------	--

Classified as a NON-Dangerous Good for transport.

Section 15	Regulatory Information	

HSNO Controls: Tracking; Approved Handlers: Location Test Certificate:	Not required Not required 500 L in containers <u>></u> 5L; 1500 L in containers <5L; 250 L open
Hazchem signage:	1000 L
Emergency Response Plan:	10,000 L

Section 16 Other Information

- 1. This product may not be used as a marine anti-fouling paint, for pruning wounds on trees or shrubs or in the commercial treatment of timber.
- 2. Hazardous Substances Data Bank (HSDB), a database of the National Library of Medicine's TOXNET system (<u>http://toxnet.nlm.nih.gov</u>).
- 3. Preparation of Safety Data Sheets, June 2021.

Abbreviations:

- CAS No Chemical Abstracts Number
- EPA Environmental Protection Authority
- HSNO Hazardous Substances and New Organisms
- NZIoC New Zealand Inventory of Chemicals
- STEL Short Term Exposure Limit
- TWA Time Weighted Average
- WES Workplace Exposure Standard

4

References:

Supplier Material Safety Data Sheets EPA website: <u>www.epa.govt.nz</u> Hazardous Substances Data Bank (HSDB), a database of the National Library of Medicine's TOXNET system (<u>http://toxnet.nlm.nih.gov</u>).

Disclaimer:

This document has been compiled by Biosymph Limited and serves as the manufacturer's Material Safety Data Sheet ('MSDS'). It is based on information concerning the product which has been provided from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writer's knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. While Biosymph Ltd has taken all due care to include accurate and up-to-date information in this MSDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Biosymph Ltd accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this MSDS. The information herein is given in good faith, but no warranty, express or implied is made.

This document should be taken as a safety guide for the product and its recommended uses, but is in no way an absolute authority.

Please consult the relevant legislation and regulations governing the use and storage of this type of product.

For further information, please contact Biosymph Ltd.

Issue Date:	16 June 2021
Revision Date:	16 June 2021 – Minor amendments made to template
Review Date:	16 June 2025

END OF MATERIAL SAFETY DATA SHEET